

HealthStreet

RESEARCH HELPING PEOPLE



Community Health Needs Assessment- Cancer Addendum

Prepared by:

Department of Epidemiology

College of Public Health and Health Professions &

College of Medicine

University of Florida

Linda B. Cottler, PhD, MPH

Email: lbcottler@ufl.edu

Phone: (352) 273-5468

Through June 2019

Table of Contents

❑ Introduction	1
❑ Figure 1: County of residence among HealthStreet members with history of cancer in Northeast Florida	1
❑ Table 1: Demographics of HealthStreet members by cancer history and year	2
❑ Table 2: Research perceptions of HealthStreet members by cancer history and year	3
❑ Table 3: Substance Use and Health Conditions of HealthStreet members by cancer history and year	3
❑ Table 4: Top 10 Health Concerns of HealthStreet members by cancer history and year	4
❑ Table 5: Access to care of HealthStreet members, by cancer history and year	4
❑ Table 6: Top 20 prevalent cancer types among HealthStreet members by year	5
❑ Table 6a: Number of cancer types among HealthStreet members	5
❑ Table 7: Navigations and enrollments of HealthStreet members to cancer studies	6
❑ Table 8: Cancer treatments reported among HealthStreet members with history of cancer	7
❑ Contact Us	8

Introduction

The following document is an addendum to the Community Health Needs Assessment (CHNA) and contains data on members of the HealthStreet cohort with a history of cancer.




Figure 1: County of residence among HealthStreet members with a history of cancer in Northeast Florida
* Exact sample size for Duval County ** Exact sample size for Alachua County

In addition, there is at least one HealthStreet member with a history of cancer in each of the counties: Bay, Calhoun, Citrus, Indian River, Osceola, Sumter, Volusia, and Walton, which are not contiguous with the counties shown on this map. There are also 8 HealthStreet members with history of cancer in Miami-Dade.

Table 1: Demographics of HealthStreet members by cancer history and year

	2011		2012		2013		2014		2015		2016		2017		2018		2019		Total	
	C n= 8	NC n= 148	C n= 143	NC n= 2161	C n= 105	NC n= 1326	C n= 117	NC n= 1552	C n= 157	NC n= 1400	C n= 140	NC n= 1235	C n= 143	NC n= 1083	C n= 131	NC n= 1135	C n= 58	NC n= 354	C n= 1002	NC n= 10394
Gender																				
Female	87.5%	45.9%	64.3%	53.3%	70.5%	56.3%	69.2%	55.4%	71.3%	60.9%	80.7%	66.1%	67.1%	64.6%	78.6%	59.9%	60.3%	61.9%	71.2%	58.6%
Male	12.5%	54.1%	35.7%	46.6%	29.5%	43.7%	30.8%	44.5%	28.7%	38.9%	19.3%	33.8%	32.2%	34.5%	21.4%	39.8%	39.7%	37.6%	28.7%	41.2%
Average Age																				
Female	50.4 (5.8)	41.5 (15.0)	52.2 (14.7)	39.8 (15.4)	50.4 (14.6)	39.1 (15.2)	57.1 (15.7)	42.7 (15.4)	58.3 (13.0)	45.0 (17.1)	58.1 (12.1)	46.0 (16.3)	60.1 (14.9)	48.0 (17.9)	59.6 (12.6)	43.1 (16.9)	59.2 (16.4)	47.3 (18.8)	56.9 (14.2)	43.3 (16.6)
Male	64.0 (0.0)	36.8 (14.4)	56.0 (15.9)	40.2 (15.2)	57.4 (14.3)	40.3 (15.4)	60.4 (11.1)	44.2 (14.7)	62.1 (9.7)	45.1 (16.8)	63.7 (8.9)	47.7 (15.9)	66.5 (9.9)	47.7 (16.8)	61.1 (14.5)	44.1 (17.0)	66.2 (12.8)	46.0 (17.7)	61.4 (12.8)	43.4 (16.1)
Race/ Ethnicity																				
Asian	0.0%	0.7%	1.4%	1.9%	0.0%	1.1%	0.0%	0.8%	0.0%	0.6%	2.9%	1.2%	0.0%	1.4%	0.0%	2.3%	0.0%	1.7%	0.6%	1.3%
African-American	12.5%	65.5%	44.1%	65.5%	39.0%	59.8%	32.5%	67.5%	35.7%	66.6%	22.9%	56.7%	25.9%	46.7%	26.7%	48.1%	13.8%	30.8%	31.0%	59.1%
White	50.0%	28.4%	46.9%	26.8%	54.3%	32.1%	62.4%	26.1%	59.2%	28.4%	71.4%	38.3%	70.6%	45.2%	66.4%	43.2%	82.8%	61.0%	62.9%	33.8%
Other	37.5%	5.4%	7.7%	5.5%	4.8%	6.9%	5.1%	5.5%	5.1%	4.3%	2.9%	3.8%	3.5%	6.6%	6.9%	6.3%	3.4%	6.5%	5.3%	5.6%
Latino/Hispanic	12.5%	1.4%	4.2%	5.1%	4.8%	6.0%	#VALUE!	5.0%	3.8%	5.2%	10.0%	9.3%	4.2%	9.7%	2.3%	9.5%	8.6%	6.2%	4.6%	6.7%
Marital Status																				
Never Married	37.5%	63.5%	26.6%	53.5%	31.4%	54.1%	16.2%	51.4%	18.5%	47.4%	17.9%	43.6%	17.5%	39.3%	16.8%	47.8%	12.1%	42.7%	20.1%	48.9%
Married	25.0%	14.9%	36.4%	21.3%	19.0%	18.1%	23.9%	17.1%	28.7%	20.4%	37.9%	21.5%	30.1%	25.0%	32.8%	20.3%	34.5%	18.4%	30.5%	20.2%
Divorced/Separated/Widowed	37.5%	21.6%	37.1%	24.9%	49.5%	27.5%	59.8%	31.4%	52.9%	32.2%	42.9%	34.3%	51.0%	35.1%	50.4%	31.3%	53.4%	38.7%	49.0%	30.5%
BMI																				
Female	28.9 (6.1)	32.1 (8.8)	31.3 (8.7)	30.6 (8.1)	30.2 (8.1)	30.3 (8.6)	29.3 (9.1)	30.7 (8.2)	29.7 (7.7)	30.7 (8.6)	29.0 (8.8)	30.2 (7.8)	27.8 (8.1)	30.4 (8.3)	29.1 (6.9)	30.6 (8.6)	28.1 (6.6)	29.3 (7.9)	29.4 (8.2)	30.5 (8.3)
Male	22.2 (0.0)	27.4 (6.4)	27.2 (5.2)	27.9 (6.2)	28.0 (6.0)	27.1 (6.0)	27.2 (3.7)	27.4 (6.2)	28.6 (5.5)	27.8 (6.4)	28.0 (5.8)	27.9 (6.6)	27.8 (6.4)	28.2 (6.4)	30.0 (5.1)	27.9 (6.2)	29 (5.2)	27.9 (5.7)	28.1 (5.4)	27.7 (6.2)
12+ years of education	75.0%	70.9%	79.0%	77.3%	79.0%	79.6%	86.3%	76.8%	91.1%	78.4%	86.4%	80.2%	87.4%	82.5%	86.3%	83.0%	89.7%	82.2%	85.5%	79.3%
Currently Employed	50.0%	29.7%	29.4%	38.4%	27.6%	38.4%	20.5%	30.6%	21.0%	33.2%	24.3%	34.3%	29.4%	38.8%	22.9%	39.1%	13.8%	33.9%	24.6%	35.9%
Veteran Status	0.0%	9.5%	16.1%	8.8%	12.4%	9.8%	13.7%	8.6%	15.3%	10.9%	10.7%	8.3%	14.0%	10.7%	15.3%	12.6%	19.0%	11.3%	14.2%	9.8%
Household Size (including participant)	2.8 (0.9)	3.3 (3.7)	3.3 (2.3)	3.4 (3.4)	3.1 (3.2)	3.3 (2.6)	2.2 (1.4)	2.9 (3.2)	2.5 (2.4)	2.9 (2.4)	2.4 (1.5)	2.8 (2.2)	2.6 (4.2)	2.8 (2.4)	2.6 (1.9)	2.9 (2.2)	2.2 (2.6)	2.5 (2.0)	2.6 (2.6)	3.0 (2.8)
Food Insecure (not enough money to buy food)	87.5%	46.6%	50.3%	44.5%	49.5%	45.4%	43.6%	48.5%	45.9%	47.5%	42.9%	50.1%	32.2%	41.7%	44.3%	47.0%	37.9%	50.3%	43.9%	46.5%
Pets (cat or dog)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	17.9%	8.5%	42.7%	29.3%	58.6%	34.8%	57.3%	39.1%	55.7%	39.1%	50.0%	42.4%	35.3%	19.1%
Uses social media or text messaging	50.0%	59.5%	44.8%	63.6%	65.7%	74.4%	74.4%	78.0%	72.6%	83.1%	90.0%	87.9%	80.4%	85.7%	81.7%	88.9%	81.0%	90.1%	73.2%	78.6%

*Latino/Hispanic is not mutually exclusive with other races.

Table 2: Research perceptions of HealthStreet members by cancer history and year

	2011		2012		2013		2014		2015		2016		2017		2018		2019		Total	
	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC
	n= 8	n= 148	n= 143	n= 2161	n= 105	n= 1326	n= 117	n= 1552	n= 157	n= 1400	n= 140	n= 1235	n= 143	n= 1083	n= 131	n= 1135	n= 58	n= 354	n= 1002	n= 10394
Ever been in a health research study	62.5%	20.3%	25.9%	12.8%	25.7%	17.3%	35.9%	15.1%	37.6%	19.9%	40.7%	19.8%	30.8%	17.6%	29.0%	21.2%	27.6%	19.2%	32.4%	17.3%
Interested in participating in research	87.5%	89.2%	93.0%	87.1%	93.3%	92.8%	97.4%	96.1%	98.1%	95.1%	95.7%	96.8%	95.8%	92.1%	95.4%	92.6%	93.1%	96.9%	95.4%	92.9%
Would you volunteer for a health research study:																				
That only asked questions about your health	87.5%	90.5%	92.3%	91.2%	93.3%	92.7%	95.7%	94.8%	97.5%	94.0%	95.7%	96.7%	95.1%	93.4%	96.9%	93.0%	93.1%	97.7%	95.1%	93.6%
If researchers wanted to see your medical records	100.0%	84.5%	82.5%	82.4%	87.6%	85.5%	92.3%	87.4%	93.6%	87.6%	91.4%	90.4%	90.9%	85.0%	92.4%	84.8%	87.9%	92.1%	90.1%	86.1%
If you had to give a blood sample	100.0%	83.8%	88.1%	81.1%	88.6%	84.2%	92.3%	84.5%	94.3%	86.8%	95.7%	87.0%	92.3%	85.2%	94.7%	84.1%	94.8%	90.1%	92.6%	84.6%
If you were asked to give a sample for genetic studies	100.0%	79.7%	85.3%	80.9%	91.4%	83.4%	92.3%	83.1%	95.5%	85.6%	90.7%	91.6%	93.0%	87.2%	94.7%	84.4%	84.5%	89.3%	91.5%	84.8%
If you might have to take medicine	87.5%	51.4%	65.0%	53.9%	64.8%	59.3%	79.5%	64.8%	73.2%	65.2%	70.0%	64.0%	59.4%	55.7%	67.2%	53.9%	62.1%	59.6%	68.2%	59.3%
If you were asked to stay overnight in a hospital or clinic	87.5%	68.2%	73.4%	65.0%	77.1%	69.7%	84.6%	74.7%	86.0%	76.5%	83.6%	75.1%	77.6%	67.8%	79.4%	69.9%	74.1%	72.0%	80.0%	70.9%
If you might have to use medical equipment	100.0%	75.7%	86.7%	75.3%	82.9%	81.7%	94.0%	84.0%	92.4%	85.3%	95.7%	88.5%	93.0%	85.2%	94.7%	84.2%	87.9%	87.9%	91.4%	82.8%
If you didn't get paid	100.0%	75.7%	85.3%	73.2%	84.8%	77.4%	87.2%	78.7%	88.5%	79.1%	88.6%	83.0%	83.2%	75.4%	80.2%	70.5%	79.3%	81.4%	85.2%	76.8%

Table 3: Substance Use and Health Conditions of HealthStreet members by cancer history and year

	2011		2012		2013		2014		2015		2016		2017		2018		2019		Total	
	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC	C	NC
	n= 8	n= 148	n= 143	n= 2161	n= 105	n= 1326	n= 117	n= 1552	n= 157	n= 1400	n= 140	n= 1235	n= 143	n= 1083	n= 131	n= 1135	n= 58	n= 354	n= 1002	n= 10394
Binge Drinking	0.0%	33.1%	13.3%	25.6%	21.0%	24.4%	13.7%	24.7%	22.9%	22.0%	15.0%	21.0%	16.8%	22.7%	13.0%	26.9%	17.2%	26.3%	16.5%	24.2%
Marijuana																				
Never	75.0%	41.9%	49.7%	54.7%	41.9%	47.7%	46.2%	49.4%	49.7%	55.2%	50.0%	49.1%	48.3%	48.1%	45.8%	40.4%	55.2%	34.7%	48.3%	49.3%
Past User	12.5%	30.4%	37.8%	27.4%	42.9%	34.5%	45.3%	32.9%	39.5%	30.9%	40.0%	36.4%	37.8%	33.5%	38.9%	37.5%	27.6%	39.3%	39.1%	32.8%
Current User (past 30 days)	12.5%	27.7%	12.6%	17.6%	15.2%	17.6%	8.5%	17.7%	10.8%	13.9%	10.0%	13.9%	14.0%	18.0%	14.5%	21.3%	17.2%	26.0%	12.5%	17.5%
Prescription Opioids																				
Never	50.0%	60.8%	35.7%	58.5%	27.6%	53.0%	23.1%	50.5%	23.6%	48.1%	20.7%	47.0%	29.4%	46.4%	31.3%	48.1%	32.8%	38.1%	27.8%	50.8%
Past User	25.0%	32.4%	36.4%	29.2%	49.5%	33.9%	53.0%	35.2%	56.1%	37.2%	56.4%	39.6%	48.3%	41.4%	47.3%	40.2%	44.8%	49.4%	49.1%	36.2%
Current User (past 30 days)	25.0%	6.8%	26.6%	11.8%	22.9%	12.4%	23.9%	14.0%	20.4%	14.4%	22.9%	13.0%	22.4%	11.6%	19.8%	10.9%	20.7%	10.7%	22.6%	12.4%
Sleep Conditions (insomnia, narcolepsy, sleep apnea, sleep walking and other)	75.0%	25.0%	37.1%	24.8%	49.5%	28.2%	45.3%	30.2%	47.8%	33.4%	55.0%	33.4%	47.6%	38.1%	59.5%	37.0%	44.8%	46.9%	48.7%	31.7%

Table 4: Top 10 Health Concerns† of HealthStreet members by cancer history and year

	2011		2012		2013		2014		2015		2016		2017		2018		2019		Total	
	C n= 8	NC n= 148	C n= 143	NC n= 2161	C n= 105	NC n= 1326	C n= 117	NC n= 1552	C n= 157	NC n= 1400	C n= 140	NC n= 1235	C n= 143	NC n= 1083	C n= 131	NC n= 1135	C n= 58	NC n= 354	C n= 1002	NC n= 10394
Hypertension	37.5%	35.1%	32.9%	29.9%	27.6%	26.2%	24.8%	28.6%	29.9%	29.3%	19.3%	27.4%	14.7%	23.8%	14.5%	21.9%	17.2%	22.9%	23.2%	27.2%
Diabetes	25.0%	20.3%	18.9%	19.8%	21.0%	20.1%	15.4%	19.4%	21.0%	20.2%	14.3%	21.9%	16.8%	19.9%	16.0%	19.4%	13.8%	16.4%	17.5%	19.9%
Muscle and Bone Problems	25.0%	12.8%	9.8%	15.5%	27.6%	15.8%	29.9%	18.2%	19.7%	19.1%	20.0%	22.5%	21.7%	17.4%	29.0%	19.7%	20.7%	19.5%	22.0%	18.0%
Weight Problems	0.0%	12.2%	7.0%	14.7%	10.5%	17.6%	9.4%	13.7%	14.0%	13.2%	13.6%	16.0%	14.0%	18.0%	11.5%	17.0%	13.8%	14.7%	11.6%	15.4%
Cancer	37.5%	19.6%	35.0%	12.2%	32.4%	12.6%	30.8%	14.0%	40.1%	9.6%	38.6%	11.4%	35.0%	9.4%	32.8%	7.6%	25.9%	5.1%	34.7%	11.1%
Oral Health	25.0%	6.1%	12.6%	12.0%	12.4%	11.8%	15.4%	21.3%	8.3%	17.1%	7.9%	13.0%	5.6%	8.3%	5.3%	8.5%	17.2%	13.6%	10.0%	13.4%
Heart Problems	0.0%	16.2%	17.5%	14.0%	16.2%	12.1%	17.9%	10.8%	12.1%	11.9%	18.6%	14.0%	14.0%	14.4%	8.4%	13.9%	17.2%	13.3%	14.9%	13.0%
Mental Health	25.0%	10.1%	7.7%	7.3%	8.6%	12.4%	8.5%	12.4%	9.6%	11.3%	16.4%	14.6%	9.1%	16.0%	9.9%	17.5%	12.1%	15.5%	10.3%	12.4%
Vision Health	0.0%	4.7%	6.3%	7.2%	6.7%	7.7%	6.0%	14.6%	5.7%	11.8%	9.3%	13.5%	4.9%	10.2%	5.3%	7.9%	12.1%	8.8%	6.6%	10.2%
Brain and Spinal Problems	0.0%	10.1%	5.6%	5.4%	7.6%	5.4%	6.8%	7.0%	9.6%	7.4%	12.1%	7.2%	7.7%	7.5%	12.2%	4.9%	8.6%	7.6%	8.8%	6.4%

Table 5: Access to care of HealthStreet members by cancer history and year

	2011		2012		2013		2014		2015		2016		2017		2018		2019		Total	
	C n= 8	NC n= 148	C n= 143	NC n= 2161	C n= 105	NC n= 1326	C n= 117	NC n= 1552	C n= 157	NC n= 1400	C n= 140	NC n= 1235	C n= 143	NC n= 1083	C n= 131	NC n= 1135	C n= 58	NC n= 354	C n= 1002	NC n= 10394
No doctor visit within past 6 months	12.5%	39.2%	13.3%	40.3%	18.1%	36.1%	18.8%	36.3%	8.3%	30.4%	6.4%	28.7%	5.6%	24.7%	9.9%	23.3%	12.1%	25.7%	11.1%	32.5%
No physical exam within past 12 months	25.0%	38.5%	24.5%	33.9%	29.5%	37.9%	23.9%	38.5%	15.9%	32.4%	14.3%	30.4%	12.6%	27.3%	18.3%	26.5%	15.5%	33.3%	19.2%	33.0%
Been to ER within past 6 months	0.0%	0.7%	35.7%	27.4%	41.0%	32.3%	41.0%	34.0%	33.1%	32.6%	35.0%	31.6%	41.3%	32.2%	36.6%	35.9%	39.7%	37.6%	37.2%	31.6%
Receives health care or health services at UF Health/Shands	NA	NA	NA	NA	0.0%	25.0%	43.2%	36.2%	48.1%	37.0%	54.1%	35.2%	54.2%	34.5%	41.2%	36.2%	32.8%	31.9%	47.5%	35.6%
Ever had a colonoscopy (over 50 years)	66.7%	48.6%	68.1%	46.7%	63.1%	51.8%	80.2%	45.2%	86.3%	51.5%	64.9%	51.0%	86.2%	57.6%	79.4%	56.4%	73.3%	70.4%	76.1%	51.7%
Ever had a mammogram (women over 40 years)	42.9%	91.7%	88.6%	85.0%	93.2%	84.0%	94.3%	81.5%	95.1%	86.8%	93.3%	86.5%	100.0%	90.0%	93.7%	90.3%	89.3%	91.4%	93.4%	86.5%
Ever screened for prostate cancer (men over 45 years)	NA	NA	NA	NA	NA	NA	91.7%	48.5%	92.9%	50.0%	85.2%	54.7%	81.4%	55.3%	80.8%	49.3%	82.4%	43.7%	85.1%	51.2%

NA: Not Applicable. Not asked for the respective year.

Table 6: Top 20 prevalent cancer types among HealthStreet members by year

	2011	2012	2013	2014	2015	2016	2017	2018	2019	Total
	C	C	C	C	C	C	C	C	C	C
	n= 8	n= 143	n= 105	n= 117	n= 157	n= 140	n= 143	n= 131	n= 58	n= 1002
Skin	25.0%	25.9%	24.8%	29.1%	28.0%	34.3%	40.6%	32.8%	39.7%	31.4%
Breast	25.0%	17.5%	15.2%	15.4%	21.7%	25.0%	14.0%	18.3%	12.1%	18.1%
Cervical	0.0%	18.9%	18.1%	18.8%	8.3%	10.0%	8.4%	11.5%	12.1%	12.9%
Prostate	0.0%	9.8%	7.6%	10.3%	10.2%	5.7%	11.2%	3.8%	10.3%	8.5%
Colorectal	0.0%	2.8%	6.7%	7.7%	8.3%	6.4%	8.4%	3.1%	3.4%	6.0%
Ovarian	0.0%	1.4%	2.9%	5.1%	5.1%	2.9%	3.5%	9.2%	3.4%	4.2%
Uterine	0.0%	2.1%	2.9%	2.6%	3.8%	5.7%	2.8%	6.9%	5.2%	3.9%
Lymphoma	12.5%	2.8%	4.8%	2.6%	1.9%	4.3%	3.5%	5.3%	1.7%	3.5%
Lung	0.0%	2.1%	2.9%	4.3%	3.8%	2.1%	4.9%	3.8%	1.7%	3.3%
Thyroid	0.0%	1.4%	1.0%	2.6%	1.9%	2.9%	2.1%	1.5%	1.7%	1.9%
Kidney	0.0%	3.5%	1.0%	0.0%	2.5%	2.9%	0.7%	2.3%	0.0%	1.8%
Bladder	0.0%	1.4%	0.0%	0.0%	1.9%	2.1%	2.1%	0.8%	1.7%	1.3%
Stomach	0.0%	1.4%	1.0%	0.0%	2.5%	0.7%	1.4%	1.5%	1.7%	1.3%
Brain	0.0%	0.7%	1.0%	1.7%	1.3%	0.7%	0.7%	0.8%	1.7%	1.0%
Pancreatic	12.5%	0.0%	0.0%	0.9%	1.9%	0.7%	1.4%	0.0%	0.0%	0.8%
Liver	12.5%	1.4%	1.9%	1.7%	0.0%	0.0%	0.7%	0.0%	0.0%	0.8%
Throat	0.0%	1.4%	1.9%	0.0%	0.6%	0.0%	0.7%	0.0%	3.4%	0.8%
Rectal	0.0%	0.0%	0.0%	0.9%	0.0%	2.1%	1.4%	1.5%	0.0%	0.8%
Blood	0.0%	0.7%	0.0%	0.9%	0.6%	0.7%	0.7%	0.0%	0.0%	0.5%
Testicular	0.0%	0.7%	0.0%	0.9%	0.6%	0.0%	0.7%	0.8%	0.0%	0.5%

* More than 1 cancer type reported for 110 HealthStreet members

Table 6a: Number of cancer types reported among HealthStreet members

One Cancer Type	Two Cancer Types	Three Cancer Types	Total**
880 (88.9%)	82 (8.3%)	28 (2.8%)	990

** 12 members reported cancer and are missing cancer type

Table 7: Navigations and enrollments of HealthStreet members to cancer studies			
Study Title	PI Name	Navigated	Enrolled
Breast Cancer Research Recruitment	Yulia Strekalova	20	5
Developing and pilot testing a patient-centered intervention using virtual humans to increase colorectal cancer screening (VH)	Janice Krieger	206	63
A Multi-Center Biologic Assignment Trial Comparing Reduced Intensity Allogeneic Hematopoietic Cell Transplant to Hypomethylating Therapy or Best Supportive Care in Patients Aged 50-75 with Intermediate-2 and High Risk Myelodysplastic Syndrome	John Wingard	1	0
A Randomized Phase III Double Blinded Placebo Controlled Trial of Aspirin as Adjuvant Therapy for Node Positive HER2 Negative Breast Cancer: The ABC Trial	Karen Daily	2	0
Examination of Patient narratives as a Decision Making Tool for Early Stage Breast Cancer Surgery	Lauren Hearn	22	12
Imaging the Patterns of Breast Cancer Early Metastases	Walter O'Dell	15	1
Phase III of Adjuvant MEDI4736	Priya Gopalan	1	0
Phase III study of ODM-201 vs placebo	Long Dang	1	1
Randomized evaluation of safety and efficacy of the Deep Transcranial Magnetic Stimulation intended as an aid to smoking cessation	Herbert Ward	21	1
Effectiveness of a prostate cancer handout for African American men	DeCoria McCauley	30	10
Prostate Cancer & LGBTQIA	Mary Ellen Young	3	2
Exploring experiences, needs and perceived influence, of informal caregivers of black men across the prostate cancer continuum of care	Esther Piervil	8	5
Family Discussions Concerning Prostate Cancer	Mary Ellen Young	12	3
HPV Vaccine- CAB	Stephanie Staras	2	0
Intent to Screen for Prostate Cancer	Mary Young, PhD	17	4
Intention to screen for sex specific cancers in men and women	Mary Ellen Young	27	1
REACH	Nicole Whitehead	3	2
Gut microflora and estrogens: a new paradigm for breast cancer risk reduction	Lusine Yaghjyan	80	18
Total		471	128

The National Cancer Institute (NCI) Cancer Centers Program intended to create specific centers exclusively dedicated to cancer-specific treatment and research through The National Cancer Act of 1971. Currently there are 69 designated centers in 35 states, which are recognized as such for their scientific leadership, resources, and depth and breadth of their research in basic, clinical and/or population science. The University of Florida is striving to become part of this elite membership, and has allocated preeminence funding to HealthStreet since July 2015 to increase enrollment to cancer studies. The table above shows the recruitment of community members to cancer studies through HealthStreet since receiving preeminence funding.

	%
Surgery	70.7%
Radiation therapy	23.6%
Oral Medications	22.6%
Chemotherapy	22.9%
Hormone Therapy	7.2%
Proton therapy	1.3%

*Among 584 HealthStreet members reporting cancer since March 2015. Multiple treatment responses are accepted.

Contact Us

Customized reports are available for:

- Community Health Needs Assessment
- Preliminary data for grants
- Cohort identification
- Navigation of screened and eligible participants in our database to your research studies

Please let us know how we can help you.

Linda B. Cottler, PhD, MPH

Email: lbcottler@ufl.edu

Phone: (352) 273-5468